



***PRECISION***  
***MANUFACTURING***

**SOLVING**  
**TREE &**  
**BRUSH**  
**PROBLEMS**  
**SINCE 1992**



THE ORIGINAL SINCE 1992

# Heavy Duty HyREACH CLIPPER<sup>®</sup> TELECLIPPER

## Our Highest Reach Ever!

TC6451



Cut Hard to Reach Areas



10' Reach



Long Reach for Ditches & Creek Beds

### FEATURES:

- Boom Extends Cutting Surface to 10' 3" and Retracts to 7' 3"
- Control the Cutting, Rotating and Telescoping from Inside the Cab with a Wireless Remote
- 180° Rotation of Clipper Head to Cut Limbs on Both Sides of the Tree
- 664000 Extreme Duty Clipper Head—Our STRONGEST!
- Rectangular Telescoping Boom for Maximum Strength
- Optional Wireless Camera Available

TELECLIPPER



VIDEO

THE ORIGINAL SINCE 1992

# Heavy Duty HYREACH CLIPPER EXTREME DUTY<sup>®</sup>

Our Strongest Yet!



## MODEL 664000 CLIPPER HEAD

MAXIMUM CUT BETWEEN 9" AND 12"

ED6451



Skid Steer Mount

ED7451



Offset Tractor Mount



Clean Fence Rows



Power Rotate to Trim Limbs

### FEATURES:

- Extra Long Upper and Lower Plate Weldments and Supports for Added Strength
- Self-Cleaning Side Spacers to Prevent Buildup of Dirt and Debris That Could Cause Damage
- "Easy-Release" to Prevent Trees and Limbs from Getting Wedged Between Blades
- Fully Plumbed with Hoses, Couplers, Hose Wrap, Solenoid Valve, Valve Guard
- Cut at Ground Level or Power Rotate Head to Trim Limbs
- Six-Foot Reach Allows High Reach Cutting
- Wireless Remote to Control Rotation

EXTREME DUTY



VIDEO

THE ORIGINAL SINCE 1992

# Heavy Duty HyReach CLIPPER<sup>®</sup> CLAMPit<sup>®</sup>

Control The Fall Of Trees & Protect Your Equipment!



**CLAMPit can also be ADDED  
to an existing XD or  
ED series HyReach Clipper**

Load limit for CLAMPit is 200 lbs.  
See website for log size and weight chart.



THE ORIGINAL SINCE 1992

Sometimes You Just Don't Want To Leave A Stump!

## 535 TREE PULLER "ELIMINATOR"

535000



- Double Row of Teeth for Better Grip of Tree
- Brush Guard and Telescoping Cylinder Guard
- Root Ripper to Loosen Trees
- Powerful 3" Cylinder
- Spade Points to Dig Roots and Loosen Soil

## 525 TREE PULLER "EXTREME DUTY"

525000



- 3/4" Blades, T1 Steel
- Cylinder Guard
- Fully Plumbed
- Optional /Brush Guard
- 14" Opening

REMOVES TREES – ROOTS AND ALL!



No More Stumps



525000 Telescoping Guard



Pulling Multi Floral Roses



515000 with Optional  
Brush Guard

Rugged Construction for Clearing:  
Pastures, CRP Land, Roadsides and  
Ditches

525000 VIDEO

515000 VIDEO



VIDEO

# ADD A GRAPPLE

**Mini / Single / Double**

**Convert Existing Bucket Into Grapple Bucket**

111100



Single 60" to 79" Buckets  
*Hoses Not Included*

112200



Double 60" to 79" Buckets  
*Fully Plumbed*

111155




Mini 36" to 55" Buckets  
*Hoses Not Included*

- Easy Installation—Position Grapple and Drill 4 Holes Each Side
- Easy Removal of Grapple to Convert Back to Bucket Only
- Light Weight for Use on Smaller Tractors
- Visit our Website for Add-A-Grapple Selector Guide

## XTRA VALVE KIT

**MP010 / MP020**

**ADD AN XTRA SET  
OF HYDRAULIC OUTLETS!**



Up to 24 gpm



Up to 15 gpm

### Kit Includes

- Solenoid Valve
- 12 Hydraulic Fittings
- Wiring Harness and Switch
- Mounting Brackets and Hardware Kit

X-TRA VALVE  
KIT VIDEO



Hoses Not Included

# ADD A GRAPPLE

## CONTRACTOR & COMMERCIAL

Convert Existing Bucket Into Grapple Bucket

222550



### CONTRACTOR—SKID STEER

- 39" Opening
- Fits Buckets 68" to 90" in Width
- Double Grapples Clamp Down on Uneven Loads
- Fully Plumbed with Flat Face Couplers

222440



### CONTRACTOR—TRACTOR

- 39" Opening
- Fits Buckets 68" to 90" in Width
- Stabilizes Load with Double Grapples
- Fully Plumbed with Pioneer Couplers

225000



### COMMERICAL

- Extra Wide 49" Opening
- Fits Buckets 80" to 100" in Width
- Curved Tines for Wider Grip and Easy Release
- Includes Double Welded Cylinders with Guards & Hoses  
(Couplers Sold Separately)



225000 on a Back Hoe



Large Loads



Clamps Tight



CONTRACTOR  
ADD-A-GRAPPLE  
VIDEO

VISIT OUR WEBSITE FOR ADD-A-GRAPPLE SELECTOR GUIDE

# Add A Grapple

Pallet Fork

336S27



Hoses Not Included

VIDEO

# Add A Grapple

ADJUSTABLE  
Pallet Fork

339S27



## Convert Existing Pallet Forks Into Grapple Forks!

Easy On/Easy Off • Stabilizes Pallet Loads • Holds Brush, Limbs, Logs, Pipe, Posts

• Optional Log Clamp Can Be Used When Sawing Firewood



Holds Firewood



Optional Log Clamp



Adjustable Height



Hold Loose Loads

# FORKS & SPEARS

788



## Pallet Fork for Skid Steers

- Safety Guard
- Easy-Enter with Tread Guard Plate
- 10 Fork Locking Positions Up to 43" Wide
- 48" Forks that are 4" Wide
- Universal Quick Attach
- 4400 lb. Capacity/Pair Class 2A
- Weight 392 lbs

888



## Hay & Spear for Skid Steers

- Safety Guard
- Easy-Enter with Tread Guard Plate
- 47" Ribbed Spear for Extra Strength
- Slide-In Type Spear with Retaining Bolt
- 2 Spears on 24" Centers Rated for 3,234 lb. Load
- Universal Quick Attach
- Weight 188 lbs.

### Pallet Forks Class 2A

| Part # | Length | Thickness | Width | Capacity/Pair | Weight   |
|--------|--------|-----------|-------|---------------|----------|
| 80957  | 36"    | 1.38"     | 4"    | 4,400 lbs.    | 360 lbs. |
| 90222  | 42"    | 1.18"     | 3.15" | 2,200 lbs.    | 334 lbs. |
| 80490  | 42"    | 1.38"     | 4"    | 4,400 lbs.    | 374 lbs. |
| 83800  | 42"    | 1.57"     | 4"    | 5,500 lbs.    | 447 lbs. |
| 83801  | 48"    | 1.57"     | 4"    | 5,500 lbs.    | 469 lbs. |
| 80491  | 48"    | 1.77"     | 4"    | 6,600 lbs.    | 505 lbs. |
| 87132  | 60"    | 1.57"     | 4"    | 5,500 lbs.    | 509 lbs. |

**SOLVING TREE & BRUSH PROBLEMS SINCE 1992!**

## Heavy Duty 444 GRAPPLE RAKE

444 Series



## Contractor 433 GRAPPLE RAKE

433 Series



### **“OUR STRONGEST”**

- Models Available in 72" and 85" Widths • Greased Pivot Points • 6" Spacing of Tines to Sift the Dirt • Concealed Cylinders & Hose Management for Plumbing Protection



Large Loads



Stacking Bales



Clamps Down Tight



Reinforced Subsoil Points



Reinforced Grapple Teeth



Extra Wide Opening 73"



Loading Bales



**VIDEO**

# The Closer 344 GRAPPLE RAKE

## 344 Series



- 65" Opening
- 72" Width
- Concealed Cylinders
- Fully Plumbed
- Greased Pivot Points



VIDEO

# Standard Duty GRAPPLE RAKE Single / Double

## 333 Series



- 50" Opening
- 60" or 72" Width
- Only Double is Plumbed with Cylinder Guards
- 6" Spacing of Tines
- Lighter Weight for Utility and Compact Tractors



Reinforced Tines



Rake Stands




Hose Guides



333 Double Grapple

# Rock Bucket



- 3" Tine Spacing Sifts Rocks and other Debris. Leaves Dirt Behind.
- Available in 58," 72," 85" and 99" Widths
- Universal Quick Attach Bracket Included
- Optional Grapple For All Models



VIDEO



Concealed Cylinders



Rock Clean-Up



Remove Debris



60" Opening



**PRECISION**  
**MANUFACTURING**

800 Market Street - Sedalia , Missouri 65301

Toll Free : (888) 497-3224 [www.precisionmfg.com](http://www.precisionmfg.com)



## **WHY CHOOSE PRECISION MANUFACTURING PRODUCTS?**

**Simple.**

We have been solving tree & brush problems for just under three decades. Proving ourselves over time with revolutionary products. We help Commercial, Contractors, Farming, Residence and Businesses alike. Reclaiming Pastures, Fields, Fence Rows & Roadways all over the United States!